


FIG. 1



2/37

US01-03033




FIG. 2

3/37

US01-03033




FIG. 3

4/37

US01-03033




FIG. 4

5/37

US01-03033

FIG. 5

ADDRESS AL	RELATION BETWEEN CODE GROUP SUPER- POSED ON DATA CONTROL LINE GROUP (Y2 TO Y0 AND Y2b TO Y0b) AND DECODED ADDRESS					
	BINARY CODE			INVERTED BINARY CODE		
	Y2	Y1	Y0	Y2b	Y1b	Y0b
AL=1	0	0	0	1	1	1
AL=2	0	0	1	1	1	0
AL=3	0	1	0	1	0	1
AL=4	0	1	1	1	0	0
AL=5	1	0	0	0	1	1
AL=6	1	0	1	0	1	0
AL=7	1	1	0	0	0	1
AL=8	1	1	1	0	0	0

6/37

US01-03033

FIG. 6






FIG. 7



7/37

US01-03033

FIG. 8



8/37

US01-03033




FIG. 9

9/37

US01-03033




FIG. 10

10/37

US01-03033

FIG. 11






FIG. 12



11/37

US01-03033

FIG. 13



12/37

US01-03033




FIG. 14

13/37

US01-03033




FIG. 15

14/37

US01-03033




FIG. 16

15/37

US01-03033

ADDRESS AL	RELATION BETWEEN CODE GROUP SUPER- POSED ON DATA CONTROL LINE GROUP (Y2 TO Y0 AND Y2b TO Y0b) AND DECODED ADDRESS					
	BINARY CODE			INVERTED BINARY CODE		
	Y2	Y1	Y0	Y2b	Y1b	Y0b
AL=1	0	0	0	1	1	1
AL=2	0	0	1	1	1	0
AL=3	0	1	0	1	0	1
AL=4	0	1	1	1	0	0
AL=5	1	0	0	0	1	1
AL=6	1	0	1	0	1	0
AL=7	1	1	0	0	0	1
AL=8	1	1	1	0	0	0

FIG. 17

16/37

US01-03033




FIG. 18

17/37

US01-03033

FIG. 19






FIG. 20



18/37

US01-03033

FIG. 21



19/37

US01-03033




FIG. 22

20/37

US01-03033




FIG. 23

21/37

US01-03033




FIG. 24

22/37

US01-03033




FIG. 25

23/37

US01-03033




FIG. 26

24/37

US01-03033





FIG. 27

FIG. 28



26/37

US01-03033




FIG. 29

27/37

US01-03033




FIG. 30

28/37

US01-03033

DATA ELECTRODE
ADDRESS (DL)

	RELATION BETWEEN CODE GROUP SUPER- POSED ON ADDRESS LINE GROUP (X2 TO X0 AND X2b TO X0b) AND DECODED ADDRESS					
	BINARY CODE			INVERTED BINARY CODE		
	X2	X1	X0	X2b	X1b	X0b
DL=1	0	0	0	1	1	1
DL=2	0	0	1	1	1	0
DL=3	0	1	0	1	0	1
DL=4	0	1	1	1	0	0
DL=5	1	0	0	0	1	1
DL=6	1	0	1	0	1	0
DL=7	1	1	0	0	0	1
DL=8	1	1	1	0	0	0

FIG. 31

29/37

US01-03033




FIG. 32

30/37

US01-03033

FIG. 33






FIG. 34



31/37

US01-03033




FIG. 35

32/37

US01-03033




FIG. 36

33/37

US01-03033




FIG. 37

34/37

US01-03033




FIG. 38

35/37

US01-03033




FIG. 39

36/37

US01-03033




FIG. 40

37/37

US01-03033




FIG. 41